



**Hibrid İklimlendirme Mühendislik Enerji Çözümleri ve Dış Ticaret Ltd.**







## For small venues Great solutions

Portable air conditioner provides great comfort for small spaces with its mobile feature and 12000btu high capacity during heating or cooling processes

It is also extremely functional and practical with its compact and modern design for occupied spaces

Design Team



**Climate  
under  
your  
control**

Climate is under your control with multifunctional remote control device.

# A<sup>+</sup>

ENERGY

# R290

GASE



BIOFILTER



MOBILE



SLEEP MODE



TIMER

## 12000 BTU

This is a powerful air conditioner for occupied spaces due to its capacity.



## Mobile

You can easily control the climate of the indoor places whenever and wherever you want with its mobile feature.

## A<sup>+</sup>

The least energy-consuming air conditioner in its class with Energy efficiency.

## BioFilter

BioFilter blocks harmful bacteria and keeps air clean and fresh.





**A<sup>+</sup>**

ENERGY

**R290**

GASE



BIOFILTER



MOBILE



SLEEP MODE



TIMER



## Comfort Sleep Mode

Overheating and overcooling are avoided during the nights by activating Comfort Sleep Mode with OFF key.




## 24-hour timer

It can be turned ON or OFF anytime you wish by activating the timer.



**Whether  
at Home,  
  
or  
in the Office,  
  
or  
in the  
Home Office**





|  |                   | Hybrd-12-P |                  |
|--|-------------------|------------|------------------|
| Power Supply                               |                   | Ph-V-Hz    | 220-240V,1Ph     |
| Cooling                                    | Capacity          | BTU/h      | 12000            |
|  | Power consumption | W          | 1350             |
|  | EER               | W/W        | 2,61             |
|  | Energy Class      |            | A                |
| Heating                                    | Capacity          | BTU/h      | 10000            |
|  | Input             | W          | 1045             |
|  | COP               | W/W        | 2,8              |
|  | Power consumption | -          | A+               |
| Rated power consumption                    |                   | W          | 1450             |
| Rated current                              |                   | A          | 8                |
| Starting current                           |                   | A          | 20               |
| Compressor type                            |                   |            | Rotary           |
| Sound pressure level (High/Medium/Low)     |                   | dB(A)      | 52 / 51,3 / 50,6 |
| Cooler liquid                              |                   |            | R290             |
| Pdesign                                    |                   | MPa        | 2,6 / 1,0        |
| Control type                               |                   |            | Remote control   |
| Operating temperature. (Cooling / Heating) |                   | °C         | 17-35 / 5-30     |
| Application Area (Cooling Standard)        |                   | m2         | 16-23            |
| Dimensions (WxDxH)                         |                   | mm         | 467x397x765      |
| Package Dimensions (WxDxH)                 |                   | mm         | 512x442x880      |



#### Main Office

Saray Mah. Dorakent Sok. Dorapark Sitesi  
A Blok No:1A Kat:13 Daire :94  
Ümraniye / İSTANBUL

P : +0216 692 01 00  
[www.hibridmuhendislik.com](http://www.hibridmuhendislik.com)

#### Branch Office :

Meydan İstanbul AVM, Balkan Cd. No:62  
34770 Ümraniye/ İSTANBUL

[info@hibridmuhendislik.com](mailto:info@hibridmuhendislik.com)